

Item No. RRP €

### ROTARY TRUMPETS

#### Bb Trumpet LTR 745 – PREMIUM –

3 rotary valves, bell ø 140 mm, bore ø 11.7 mm, minibal joints, trigger on 3<sup>rd</sup> slide, nickel silver slides, case.

515 100 Lacquered yellow brass 1.850,00  
515 105 Lacquered gold brass 1.926,00

#### C Trumpet LTR 746 – PREMIUM –

3 rotary valves, bell ø 140 mm, bore ø 11.7 mm, minibal joints, trigger on 3<sup>rd</sup> slide, nickel silver slides, case.

515 150 Lacquered yellow brass 1.798,00  
515 155 Lacquered gold brass 1.867,00

### FLUGELHORNS

#### Bb Flugelhorn LFH 733 – SUPER –

3 rotary valves, bell ø 135 mm, bore ø 11.7 mm, minibal joints, trigger on 3<sup>rd</sup> slide, nickel silver slides, case.

515 200 Lacquered yellow brass 2.166,00  
515 205 Lacquered gold brass 2.181,00

#### Bb Flugelhorn LFH 742 – SUPERTONE –

3 rotary valves, bell ø 150 mm, bore ø 11.7 mm, minibal joints, trigger on 3<sup>rd</sup> slide, nickel silver slides, case.

515 210 Lacquered yellow brass 2.221,00  
515 215 Lacquered gold brass 2.238,00

### FRENCH HORNS

#### F Horn LHR 316 – Student –

3 rotary valves, bell ø 280 mm (11.0"), bore ø 11.7 mm (.5"), minibal joints, nickel silver slides, flipper and adjustable finger hook, case.

515 300 Lacquered yellow brass 1.685,00

#### Bb Horn LHR 317 – STUDENT –

3 rotary valves, bell ø 280 mm (11.0"), bore ø 11.7 mm (.5"), minibal joints, nickel silver slides, flipper and adjustable finger hook, case.

515 310 Lacquered yellow brass 1.603,00

#### F/Bb Horn LHR 327 – SONOR STUDENT –

Compensating model, 4 rotary valves, bell ø 280 mm (11.0"), bore ø 11.7 mm (.5"), minibal joints, nickel silver slides, case.

515 330 Lacquered yellow brass 2.149,00

#### F Single Horn LHR 321

3 rotary valves, bell ø 300 mm (11.8"), bore ø 11,7 mm (.5"), minibal joints, additional Eb-slide, nickel silver slides, case.

515 340 Lacquered yellow brass 2.830,00  
515 345 Lacquered gold brass 2.898,00  
515 346 Lacquered gold brass, bell detachable 2.064,00

#### Bb Single Horn LHR 331

4 rotary valves, A-stopping valve, bell 300 mm (11.8"), bore ø 11,7 mm (.5"), minibal joints, nickel silver slides, case.

515 360 Lacquered gold brass 3.147,00

#### Bb Single Horn LHR 335

3 rotary valves, bell ø 300 mm (11.8"), bore ø 11,7 mm (.5"), minibal joints, nickel silver slides, case.

515 350 Lacquered yellow brass 2.784,00  
515 355 Lacquered gold brass 2.853,00  
515 356 Gold brass, with flipper 2.898,00

Item No. RRP €

### DOUBLE FRENCH HORNS

#### F/Bb Double Horns LHR 340 – SONOR –

Compensating model, 4 rotary valves, bell ø 300 mm (11.8"), bore ø 11.7 mm (.5"), minibal joints, nickel silver slides, case.

515 400 Lacquered yellow brass 3.170,00

#### F/Bb Double Horns LHR 860 – FILHARMONIK –

4 rotary valves, bell ø 300 mm (11.8"), bore ø 11,7 mm (.5"), minibal joints, nickel silver slides, case.

515 430 Lacquered yellow brass 3.507,00  
515 435 Lacq. yellow brass, bell det. 3.608,00  
515 440 Lacq. gold brass 3.574,00  
515 445 Lacq. gold brass, bell det. 3.675,00

#### F/Bb Double Horns LHR 880 – EXCELLENCE –

4 rotary valves, bell ø 310 mm (12.2"), bore ø 12.0 mm (.5"), minibal joints, nickel silver slides, adjustable pinkie hook, case.

515 450 Lacquered yellow brass 5.118,00  
515 455 Lacq. yellow brass, bell det. 5.464,00  
515 460 Lacquered gold brass 5.438,00  
515 465 Lacq. gold brass, bell detachable 5.784,00  
515 470 Lacq. gold brass, light bell 0,45mm 6.557,00  
515 475 Lacq. gold brass, bell detachable. Light bell 0.45 mm 6.904,00

#### F/Bb Double Horns LHR 883 – Tribute –

Model Ondřej Vrabec, 4 rotary valves, bell ø 310 mm (12.2"), bore ø 11.8/12.0 mm, slides 11.8 mm – gold brass, slides 12.0 mm – yellow brass (always complete sets), minibal joints, gold brass leadpipe, nickel silver slides, adjustable pinkie hook. With artfully soldered initials "JL", bell gold brass detachable, body yellow brass, case.

515 500 Lacquered 7.425,00  
515 505 Unlacquered 7.425,00  
515 515 Brushed, lacquered 7.425,00  
515 520 Brushed, unlacquered 7.425,00

### F INVENTION HORN

#### F Invention Horn LHR 320

Bell ø 300 mm, bore ø 11.7 mm.

515 700 Unlacquered yellow brass 3.600,00

#### Slides for F Invention Horn

Slides for invention horn LHR 320, yellow brass unlacquered, nickel silver mouthpiece and tuning slide receiver.

515 710 C Alto 131,00  
515 712 Bb Tenor 168,00  
515 714 A Tenor 168,00  
515 716 G Tenor 173,00  
515 718 F Tenor 181,00  
515 720 E Tenor 184,00  
515 722 Eb Tenor 184,00  
515 724 D Tenor 192,00  
515 726 C Basso 230,00  
515 728 Bb Basso 163,00  
515 730 Halftone 136,00

Item No. RRP €

### PARFORCE HORNS

#### Bb Parforce Horn LBG 282

Bell ø 300 mm, bore ø 11.7 mm, double loop, tuneable nickel silver lead-pipe, leather taping, case.

515 950 Lacquered yellow brass, double loop 755,00  
515 955 Lacquered gold brass, double loop 808,00

#### Eb Parforce Horn LBG 291

Bell ø 300 mm, bore ø 11.7 mm, double loop, tuneable nickel silver lead-pipe, leather taping, case.

515 960 Lacquered yellow brass, double loop 800,00

#### Bb/Eb Parforce Horn LHR 312

1 rotary valve, bell ø 300 mm, bore ø 11.7 mm, single loop, tuneable nickel silver leadpipe, leather taping, case.

515 975 Lacquered yellow brass, double loop 1.178,00

### TENOR HORNS

#### Bb Tenor Horn LTH 521-3

3 rotary valves, bell ø 240 mm, bore ø 13.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section and outer slides, gigbag.

516 050 Lacquered yellow brass 2.613,00

#### Bb Tenor Horn LTH 521-4

4 rotary valves, bell ø 240 mm, bore ø 13.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section and outer slides, gigbag.

516 060 Lacquered yellow brass 3.027,00

#### Bb Tenor Horn LTH 721-3R

3 rotary valves, bell ø 240 mm, bore ø 13.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section, outer slides and bell rim, gigbag.

516 070 Lacquered gold brass 2.904,00

#### Bb Tenor Horn LTH 721-4R

4 rotary valves, bell ø 240 mm, bore ø 13.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section, outer slides and bell rim, gigbag.

516 080 Lacquered gold brass 3.328,00

#### Bb Tenor Horn LTH 721-4GR – DELUXE LINE –

4 rotary valves, bell ø 240 mm, bore ø 13.2 mm, Minibal joints, gold brass lead pipe, trigger on 1<sup>st</sup> valve, water key on tuning slide, nickel silver valve section, outer slides and bell rim, handmade deluxe engraving, gigbag.

516 090 Lacquered gold brass 4.146,00

Item No. RRP €

### BARITONE HORNS

#### Bb Baritone LEP 531-3

3 rotary valves, bell ø 260 mm, bore ø 15.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section and outer slides, gigbag.

516 100 Lacquered yellow brass 3.197,00

#### Bb Baritone LEP 531-4

4 rotary valves, bell ø 260 mm, bore ø 15.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section and outer slides, gigbag.

516 110 Lacquered yellow brass 3.704,00

#### Bb Baritone LEP 731-3R

3 rotary valves, bell ø 260 mm, bore ø 15.2 mm, Minibal joints, lacquered gold brass, nickel silver lead pipe, water key on tuning slide, nickel silver valve section, outer slides and bell rim, gigbag.

516 120 Lacquered gold brass 3.525,00

#### Bb Baritone LEP731-4R

4 rotary valves, bell ø 260 mm, bore ø 15.2 mm, Minibal joints, lacquered gold brass, nickel silver lead pipe, water key on tuning slide, nickel silver valve section, outer slides and bell rim, gigbag.

516 130 Lacquered gold brass 4.048,00

#### Bb Baritone LEP 731-4GR – DELUXE LINE –

4 rotary valves, bell ø 260 mm, bore ø 15.2 mm, Minibal joints, gold brass lead pipe, water key on tuning slide, nickel silver valve section, outer slides and bell rim, handmade deluxe engraving, gigbag.

516 140 Lacquered gold brass 5.080,00

516 141 Lacquered gold brass, trigger on main tuning slide 5.296,00

#### Bb Baritone LEP 739-4R – PREMIUM –

4 rotary valves, 3<sup>rd</sup> and 4<sup>th</sup> valve built in upright direction, bell ø 260 mm, bore ø 15.2 mm, Minibal joints, silver nickel lead pipe, water key on tuning slide, silver nickel valve section, outer slides and bell rim, gigbag.

516 145 Lacquered gold brass 4.947,00

516 146 Lacquered gold brass, trigger on main tuning slide 5.902,00

#### Bb Baritone LEP 536-4

4 rotary valves, bell ø 280 mm, bore ø 15.2 – 16.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section and outer slides, gigbag.

516 150 Lacquered yellow brass 4.096,00

#### Bb Baritone LEP 736-4R

4 rotary valves, bell ø 280 mm, bore ø 15.2 – 16.2 mm, Minibal joints, lacquered gold brass, nickel silver lead pipe, water key tuning slide, nickel silver valve section, outer slides and bell rim, gigbag.

516 160 Lacquered gold brass 4.632,00

#### Bb Baritone LEP 537-4

4 rotary valves, bell ø 300 mm, bore ø 15.2 – 16.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, valve section and outer slides, gigbag.

516 170 Lacquered yellow brass 4.141,00

#### Bb Baritone LEP 737-4R

4 rotary valves, bell ø 300 mm, bore ø 15.2 – 16.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section, outer slides and bell rim, gigbag.

516 180 Lacquered gold brass 4.674,00

516 181 Lacquered gold brass, trigger on main tuning slide 5.406,00

Item No.	RRP €	Item No.	RRP €
<b>Bb TUBAS</b>		<b>Bb Tuba LBB 883-5Z</b>	
<b>Bb Tuba LBB 701 – Student –</b>		Size $\frac{3}{4}$ – compact construction, 5 rotary valves, [4R+1L 5 <sup>th</sup> valve left hand], bell $\varnothing$ 400 mm (15.75"), bore $\varnothing$ 2.2 mm (.795"), Minibal joints, nickel silver lead pipe, trigger on 2 <sup>nd</sup> valve, water key on tuning slide, nickel silver valves, outer slides, gigbag.	
515 800	Lacquered yellow brass	6.176,00	
<b>Bb Tuba LBB 603-4</b>		Size $\frac{3}{4}$ L – compact construction, 4 rotary valves, bell $\varnothing$ 420 mm (16.5"), bore $\varnothing$ 21.2 mm (.835"), Minibal joints, trigger on 2 <sup>nd</sup> valve, water key on tuning slide, nickel silver lead pipe, nickel silver valves and outer slides, gigbag.	
516 210	Lacquered yellow brass	7.126,00	
<b>Bb Tuba LBB 603-4R</b>		Size $\frac{3}{4}$ L – compact construction, 4 rotary valves, bell $\varnothing$ 420 mm (16.5"), bore $\varnothing$ 21.2 mm (.835"), Minibal joints, trigger on 2 <sup>nd</sup> valve, water key on tuning slide, nickel silver lead pipe, nickel silver valves, outer slides + rim, gigbag.	
516 220	Lacquered yellow brass	7.326,00	
<b>Bb Tuba LBB 681-4</b>		Size $\frac{4}{4}$ , 4 rotary valves, bell 400 mm (15.75"), bore 2.2 mm (.795"), minibal joints, nickel silver lead pipe, valves, outer slides, water key on tuning slides, gigbag.	
516 230	Lacquered yellow brass	6.563,00	
<b>Bb Tuba LBB 681-4R</b>		Size $\frac{4}{4}$ , 4 rotary valves, bell $\varnothing$ 400 mm (15.75"), bore $\varnothing$ 2.2 mm (.795"), Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valves, outer slides and rim, gigbag.	
516 240	Lacquered yellow brass	6.848,00	
<b>Bb Tuba LBB 781-4R</b>		Size $\frac{4}{4}$ , 4 rotary valves, bell $\varnothing$ 400 mm (15.75"), bore $\varnothing$ 2.2 mm (.795"), Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valves, outer slides and bell rim, gigbag.	
516 250	Lacquered gold brass	7.746,00	
<b>Bb Tuba LBB 682-4</b>		Size $\frac{4}{4}$ , 4 rotary valves, bell $\varnothing$ 450 mm (17.7"), bore $\varnothing$ 2.2 mm (.795"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, water key on tuning slide, nickel silver valves and outer slides, gigbag.	
516 260	Lacquered yellow brass	8.134,00	
<b>Bb Tuba LBB 682-5</b>		Size $\frac{4}{4}$ , 5 rotary valves [4R+1L 5 <sup>th</sup> valve left hand], bell $\varnothing$ 450 mm (17.7"), bore $\varnothing$ 2.2 mm (.795"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, water key on tuning slide, nickel silver valves and outer slides, 2 exchangeable slides for the 5 <sup>th</sup> valve ( $\frac{3}{4}$ tone and $1\frac{1}{4}$ tone length).	
516 270	Lacquered yellow brass	9.682,00	
<b>Bb Tuba LBB 683-4</b>		Size $\frac{3}{4}$ – compact construction, 4 rotary valves, bell $\varnothing$ 400 mm (15.75"), bore $\varnothing$ 2.2 mm (.795"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, water key on tuning slide, nickel silver valves, outer slides, gigbag.	
516 280	Lacquered yellow brass	6.731,00	
<b>Bb Tuba LBB 683-4R</b>		Size $\frac{3}{4}$ – compact construction, 4 rotary valves, bell $\varnothing$ 400 mm (15.75"), bore $\varnothing$ 2.2 mm (.795"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, water key on tuning slide, nickel silver valves, outer slides + bell rim, gigbag.	
516 290	Lacquered yellow brass	6.995,00	
<b>Bb Tuba LBB 783-4R</b>		Size $\frac{3}{4}$ – compact construction, 4 rotary valves, bell $\varnothing$ 400 mm (15.75"), bore $\varnothing$ 2.2 mm (.795"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, water key on tuning slide, nickel silver valves, outer slides + bell rim, gigbag.	
516 300	Lacquered gold brass	7.922,00	
		Size $\frac{4}{4}$ . 4 rotary valves. Bell $\varnothing$ 420 mm. Bore $\varnothing$ 21.2 mm (.835"). Minibal joints. Water key on tuning slide. Nickel silver valves. Nickel silver outer slides. Weight 8.3 kg.	
516 313	Lacquered yellow brass, Medium GM leadpipe	7.126,00	
516 314	Lacquered yellow brass, Medium GM leadpipe, bell rim	7.496,00	
516 315	Lacquered yellow brass, Large NS leadpipe	7.126,00	
516 316	Lacquered yellow brass, Large NS leadpipe, bell rim	7.496,00	
<b>Bb Tuba LBB 684-4 – Moldau –</b>		<b>Bb Tuba LBB 784-4 – Moldau – Gold brass</b>	
		Size $\frac{4}{4}$ . 4 rotary valves. Bell $\varnothing$ 420 mm. Bore $\varnothing$ 21.2 mm (.835"). Minibal joints. Nickel silver leadpipe. Water key on tuning slide. Nickel silver valves and outer slides.	
516 317	Lacquered gold brass, Medium GM leadpipe	8.707,00	
516 318	Lacquered gold brass, Large NS leadpipe	8.707,00	
<b>Bb Tuba LBB 884-4Z – Moldau de Luxe –</b>		<b>Bb Tuba LBB 686-4</b>	
Same as model LBB 684-4, but with mit gold brass bell $\varnothing$ 450 mm (17.7"). Nickel silver bell rim. Trigger on 2nd valve. Deluxe engraving. Weight: 8.6 kg.		Size $\frac{4}{4}$ L, 4 rotary valves, bell $\varnothing$ 450 mm (17.7"), bore $\varnothing$ 21.2 mm (.835"), Minibal joints, nickel silver lead pipe, trigger on 2 <sup>nd</sup> valve, water key on tuning slide, nickel silver valves and outer slides, gigbag.	
516 319	Gold brass bell, laquered, Large NS leadpipe	8.499,00	
516 320	Lacquered yellow brass	7.872,00	
<b>Bb Tuba LBB 686-4R</b>		Construction like models LBB 686-4/786-4, but with 5 rotary valves [4R+1L 5 <sup>th</sup> valve left hand], and with 2 exchangeable slides for 5 <sup>th</sup> valve ( $\frac{3}{4}$ and $1\frac{1}{4}$ tone length), gigbag.	
516 330	Lacquered yellow brass	8.259,00	
516 340	Lacquered yellow brass	9.515,00	
516 345	Lacquered yellow brass, nickel silver bell rim	9.781,00	
<b>Bb Tuba LBB 686-5RZ</b>		<b>Bb Tuba LBB 686-5RZ</b>	
Construction like models LBB 686-4/786-4, but with 5 rotary valves [4R+1L 5 <sup>th</sup> valve left hand], and with 2 exchangeable slides for 5 <sup>th</sup> valve ( $\frac{3}{4}$ and $1\frac{1}{4}$ tone length), gigbag.		Construction like models LBB 686-4/786-4, but with 5 rotary valves [4R+1L 5 <sup>th</sup> valve left hand], and with 2 exchangeable slides for 5 <sup>th</sup> valve ( $\frac{3}{4}$ and $1\frac{1}{4}$ tone length), gigbag.	
516 350	Lacquered yellow brass/gold brass bell, nickel silver bell rim	10.165,00	
<b>Bb Tuba LBB 786-4R</b>		<b>Bb Tuba LBB 786-4R</b>	
Size $\frac{4}{4}$ L, 4 rotary valves, bell $\varnothing$ 450 mm (17.7"), bore $\varnothing$ 21.2 mm (.835"), Minibal joints, nickel silver lead pipe, trigger on 2 <sup>nd</sup> valve, water key on tuning slide, nickel silver valves, outer slides and bell rim, gigbag.		Size $\frac{4}{4}$ L, 4 rotary valves, bell $\varnothing$ 450 mm (17.7"), bore $\varnothing$ 21.2 mm (.835"), Minibal joints, nickel silver lead pipe, trigger on 2 <sup>nd</sup> valve, water key on tuning slide, nickel silver valves, outer slides and bell rim, gigbag.	
516 360	Lacquered gold brass	9.003,00	

Item No. RRP €

### CTUBAS

#### IC Tuba LCB 684-5I – Moldau –

Size 4/4. 5 rotary valves [5+0 5th valve right hand]. Bell ø 420 mm. Bore ø 21.2 mm. Height 920 mm. Adjustable thumbing. Minibal joints. Water key on tuning slide. Nickel silver valves and leadpipe. 2 exchangeable slides for 5th valve (¾ and 1¼ tone length). Weight 8.3 kg.

517 010 Lacquered yellow brass 8.203,00

#### C-Tuba LCB 884-5I – Moldau –

Size 4/4. 5 rotary valves [5+0 5th valve right hand]. gold brass bell ø Bell ø 450 mm. Bore ø 21.2 mm. Height 920 mm. Adjustable thumbing. Minibal joints. Water key on tuning slide. Nickel silver valves and leadpipe. 2 exchangeable slides for 5th valve (¾ and 1¼ tone length). Weight 8.4 kg.

517 020 Lacquered yellow brass, goldbrass bell 10.342,00

#### CTuba LCB 883-5I

Size ¾ – compact construction. 5 rotary valves [5+0 5th valve right hand]. Bell ø 400 mm. Bore ø 20.2 mm. Height 810 mm. Minibal joints. Nickel silver leadpipe. Trigger on 2nd valve. Water key on tuning slide. Nickel silver valves and outer slides. 2 exchangeable slides for 5th valve (¾ and 1¼ tone length). Weight 8.6 kg.

517 310 Lacquered yellow brass, goldbrass bell 9.312,00

#### CTuba LCB 686-5I

Size 4/4. 5 rotary valves [5+0 5th valve right hand]. Bell ø 450 mm. Bore ø 21.2 mm. Height 970 mm. Minibal joints. Nickel silver leadpipe. Trigger on 2nd valve. Water key on tuning slide. Nickel silver valves and leadpipe. 2 exchangeable slides for 5th valve (¾ and 1¼ tone length). Weight 9.6 kg.

517 340 Lacquered yellow brass 8.646,00

### FTUBAS

#### F Tuba LFB 641-4

Size ¾, 4 rotary valves. Bell ø 380 mm (15"). Bore ø 18.2 mm (.717"). Minibal joints. Nickel silver leadpipe. Water key on tuning slide, valves and outer slides.

516 470 Lacquered yellow brass 4.661,00

#### F Tuba LFB 651-4

Size ¾, 4 rotary valves, bell ø 400 mm (15.75"), bore ø 18.2 mm (.717"), Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 480 Lacquered yellow brass 5.653,00

#### F Tuba LFB 651-5GR

Size ¾, 5 rotary valves, [4R+1L], bell ø 400 mm (15.75"), bore ø 18.2 – 19.2 mm (.717 – .756"), Minibal joints, gold brass lead pipe, trigger on 2nd valve slide, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 490 Lacquered yellow brass 8.698,00

#### F Tuba LFB 651-5IGR

Size ¾, 5 rotary valves, [5RL, 5th valve on thumb], bell ø 400 mm (15.75"), bore ø 18.2 – 19.2 mm (.717 – .756"), Minibal joints, gold brass lead pipe, trigger on 2nd valve slide, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 500 Lacquered yellow brass 8.698,00

#### F Tuba LFB 851-6GZ

Size ¾, 6 rotary valves [4R+2L], bell ø 400 mm (15.75"), bore ø 19.2 mm (.756"), Minibal joints, gold brass lead pipe, trigger on 2nd valve slide, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 510 Lacq. yellow brass/gold brass bell 10.251,00

Item No. RRP €

#### F Tuba LFB 653-4

Size ¾ – compact construction, 4 rotary valves, bell ø 400 mm (15.75"), bore ø 18.2 – 19.2 mm (.717 – .756"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 520 Lacquered yellow brass 5.795,00

#### F Tuba LFB 653-5

Size ¾ – compact construction, 5 rotary valves [4R+1L], bell ø 400 mm (15.75"), bore ø 18.2 – 19.2 mm (.717 – .756"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, trimmer on 2nd valve slide, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 530 Lacquered yellow brass 7.483,00

#### F Tuba LFB 653-5I

Size ¾ – compact construction, 5 rotary valves [5R+0L, 5th valve on thumb], bell ø 400 mm (15.75"), bore ø 18.2 – 19.2 mm (.717 – .756"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, trimmer on 2nd valve slide, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 540 Lacquered yellow brass 7.483,00

#### F Tuba LFB 753-5R

Size ¾ – compact construction, 5 rotary valves [4R+1L], bell ø 400 mm (15.75"), bore ø 18.2 – 19.2 mm (.717 – .756"), Minibal joints, nickel silver lead pipe, trimmer on 2nd valve slide, water key on tuning slide, nickel silver valves, outer slides and bell rim, gigbag.

516 550 Lacquered gold brass 8.074,00

#### F Tuba LFB 753-5IR

Size ¾ – compact construction, 5 rotary valves [5R+0L, 5th valve on thumb], bell ø 400 mm (15.75"), bore ø 18.2 – 19.2 mm (.717 – .756"), Minibal joints, nickel silver lead pipe, trimmer on 2nd valve slide, water key on tuning slide, nickel silver valves, outer slides and bell rim, gigbag.

516 560 Lacquered gold brass 8.074,00

#### F Tuba LFB 753-6R

Size ¾ – compact construction, 6 rotary valves [4R+2L], bell ø 400 mm (15.75"), bore ø 18.2 – 19.2 mm (.717 – .756"), Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valves, outer slides and bell rim, gigbag.

516 570 Lacquered gold brass 8.370,00

GM: Goldbrass

R: Nickel silver bell rim

NS: Nickel silver

Z: Gold brass bell